
## THINK BEYOND GRANITE



## GRANALT

800x2400 mm GRANITE SUBSTITUTE



www.orientbell.com



#### **About OBL**

Orient Bell Limited (OBL) is amongst the largest manufacturers of Wall and Floor Tiles. Established in 1977, OBL has been a pioneer in the Industry with a focus on customer-centric innovation.

First to manufacture ultra-vitrified tiles, new product designs  $\vartheta$  development is a continuous process at OBL. As a result it has an extensive range of tiles with various finishes  $\vartheta$  textures. It has 4 patent-pending technologies: Forever Tiles, GermFree Tiles, Cool Tiles  $\vartheta$  Life Tiles.

To display extensive range of tiles, we have a chain of signature showrooms. Privileged to be associated with premier architects and construction agencies of the country, it also counts most leading developers as well as government & public sector institutions as its customers.



#### **OBL** Awards & Accolades

Realty+ recognizes the best of the best within the ranks of Indian Real Estate



Indian Digital Marketing 2023

Best use of social media



Brand of The Year 2023 (Flooring Idea-Tiles & Ceramic)



e4m Pride of India Brands 2022 (The Best Of Bharat Conference & Awards)



Website of The Year 2022 for www.orientbell.com (India's construction & design industry)



Customer Retail Journey Innovation Winners Future of Retail Summit & Awards 2020



CEO with HR Orientation
ZEE BUSINESS
National Human Capital
Leadership Congress & Awards


# INDEX

### 800x2400 mm

Full Body Vitrified Tiles   Gloss	
GRANALT SNP BROWN GLOSSY	10
GRANALT SNP GREY GLOSSY	07
GRANALT SNP IVORY GLOSSY	09
GRANALT SNP ROYAL BLACK GLOSSY	80
GRANALT SNP WHITE GLOSSY	06
Full Body Vitrified Tiles   Matte	
GRANALT SNP GLAM BIANCO MATT	11
GRANALT SNP GLAM BROWN MATT	14
GRANALT SNP GLAM CHARCOAL MATT	13
GRANALT SNP GLAM CREAMA MATT	12
Glazed Vitrified Tiles   Glossy	
GRANALT STATUARIO	15
GRANALT GALACTIC BLUE	18
GRANALT PORTORO GOLD	19
GRANALT ROYAL BLACK	14
GRANALT ROYAL WHITE	16





















Listed on BSE (530365) for ~29+ years. And also on NSE (ORIENTBELL).

# Beauty Beyond Granite



APPLICATION AREA



KITCHEN COUNTER TOP



WINDOW SILL



OFFICE TABLE TOP





DOOR FRAME BATHRO



DINING TABLE TOP



BATHROOM TUB



TERRACE



BATHROOM COUNTER TOP



STEP & RISER



SHOWER PANEL



CORRIDORS & HALLS



FLOORING HEAVY TRAFFIC AREA

#### **GRANALT SNP WHITE GLOSSY**





Tile Shown: Granalt SNP White Glossy



#### GRANALT SNP GREY GLOSSY







#### GRANALT SNP ROYAL BLACK GLOSSY





Tile Shown: Granalt SNP Royal Black Glossy



#### GRANALT SNP IVORY GLOSSY





#### GRANALT SNP BROWN GLOSSY





Tile Shown: Granalt SNP Brown Glossy



#### GRANALT SNP GLAM BIANCO MATT





Tile Shown: Granalt SNP Glam Bianco Matt



#### GRANALT SNP GLAM CREAMA MATT





Tile Shown: Granalt SNP Glam Creama Matt



#### GRANALT SNP GLAM CHARCOAL MATT



Tile Shown: Granalt SNP Glam Charcoal Matt



#### GRANALT SNP GLAM BROWN MATT





Tile Shown: Granalt SNP Glam Brown Matt



#### **GRANALT STATUARIO**





Tiles Shown: Granalt Statuario & Granalt Galactic Blue

#### GRANALT ROYAL WHITE



Tiles Shown: Granalt Royal White & Super Gloss Crystal Blue Marble



#### GRANALT ROYAL BLACK





Tiles Shown: Granalt Royal Black & PGVT Real Travertine Beige

#### GRANALT GALACTIC BLUE





Tiles Shown: Granalt Galactic Blue & PGVT Royal Dyna Grey

## **GRANALT** 800x2400 mm

#### GRANALT PORTORO GOLD





Tiles Shown: Granalt Portoro Gold & PGVT Grey Stone Marble

#### **TECHNICAL SPECIFICATIONS**

#### Full Body & Glazed Vitrified Tiles

Packing Details					
Size	No. of Tiles Per Carton	Covered Area Per Carton			
(In mm.)		( In Sq. Mtr. )	( In Sq. Ft. )		
800x2400mm	1	1.92	20.67		

As per Indian Standard (IS 15622:2017) Group B Ia					
Characteristics	Standard Test Method	IS 15622:2017 Group B la	OBL Norms		
Dimensions and Surface Quality:					
Deviation In Length & Width		± 0.1 %	± 0.05%		
Deviation In Thickness	IS 13630 (Part 1):2017	± 5.0 %	± 3.0 %		
Straightness Of Sides		± 0.1 %	± 0.1 %		
Surface Flatness		± 0.50 %	± 0.1 %		
Squareness		± 0.1 %	± 0.1 %		
Surface Quality		Min. 95% tiles should be free from visible defect	Conforms		
Physical Properties					
Water Absorption %	IS 13630 (Part 2):2017	E ≤ 0.08	E ≤ 0.06		
MOR	IS 13630 (Part 6):2017	Avg.≥ 35 N/mm.²	> 35 N/mm.²		
Breaking Strength in N	IS 13630 (Part 6):2017	Min 1300	> 3500 N		
Scratching Resistance	IS 13630 (Part 13):2017	Min 5	≥ 5		
Resistance of Surface Abrasion	IS 13630 (Part 11):2017	To Be Specified the Manufacturer	PEI III,IV & V Depending Color Shade & Product Typology		
Chemical Properties					
Resistance to Staining	IS 13630 (Part 8):2017	Mini Class 1	Conforms		
Resistance to Household Chemical		Mini Class AA	Conforms		
Thermal Specification					
Thermal Shock Resistance	IS 13630 (Part 5):2017	Min. 10 Cycles	Conforms		
Thermal Expansion	IS 13630 (Part 4):2017	Max.6 X 10 <sup>-</sup> 6 at 100°c(k <sup>-1</sup> )	Conforms		
Frost Resistance	IS 13630 (Part10):2017	10 Cycle pass	Conforms		
Impact Resistance	IS 13630 (Part14):2017	0.55 minimum	Conforms		
Bulk Density (gm/cc)	IS 13630 (Part 2):2017	Min 2.2	Conforms		

Remarks: All Characteristics tested are in compliance with Specification IS 15622: 2017. The above test results confirm or Orient polished vitrified tiles norms.

NOTE: Certain amount of Size and Shade Variation is inherent in all ceramic products. Within the limits of printed material, the colors and aesthetics of the products correspond closely to those of illustrated products. Prospective customers are advised to inspect a sample of the tile before ordering and laying. At all points of time, the company liability is restricted to the purchase value of tiles.

Every effort has been made to ensure the accuracy of the information given. However, the company reserves the right to delete & change, any of the items, colors, sizes & technical specifications without any prior notice.



#### Making Tile Selection Easier



Find tiles similar to a reference image



Tiles selected by you in your room



Visualise selected tiles & get a quote



Share layout for a personalised render\*

www.orientbell.com

#### **CORPORATE OFFICE:**

Iris House, 16 Business Centre, Nangal Raya, New Delhi-110046, India Tel: +91-11-47119100, Fax: +91 -11-2852 1273

CIN: L14101UP1977PLC021546

#### REGISTERED OFFICE:

8 Industrial Area, Sikandrabad-203 205 (UP), India Tel: +91-5735-222-203 / 24, +91-8191004575/ 76 Fax: +91 -5735 222 642

#### **CUSTOMER CARE:**

customercare@orientbell.com

Call: 87507 11111

Whatsapp: 87507 33333

Please join us on social media











