



b orientbell
tiles

PARKING TILES

400x400mm & 300x300mm

www.orientbell.com



About OBL

Orient Bell Limited (OBL) is amongst the largest manufacturers of Wall and Floor Tiles. Established in 1977, OBL has been a pioneer in the Industry with a focus on customer-centric innovation.

First to manufacture ultra-vitrified tiles, new product designs & development is a continuous process at OBL. As a result it has an extensive range of tiles with various finishes & textures. It has 4 patent-pending technologies: Forever Tiles, GermFree Tiles, Cool Tiles & Life Tiles.

To display extensive range of tiles, we have a chain of signature showrooms. Privileged to be associated with premier architects and construction agencies of the country, it also counts most leading developers as well as government & public sector institutions as its customers.



OBL Awards & Accolades

Realty+ recognizes the best of the best within the ranks of Indian Real Estate



Website of The Year 2024
for www.orientbell.com
(India's construction & design industry)



Indian Digital Marketing 2023
Best use of social media



e4m Pride of India Brands 2022
(The Best Of Bharat Conference & Awards)



Brand of The Year 2023
(Flooring Idea-Tiles & Ceramic)



Customer Retail Journey Innovation
Winners Future of Retail Summit & Awards 2020



CEO with HR Orientation
ZEE BUSINESS
National Human Capital
Leadership Congress & Awards

INDEX

400x400mm | RHINO PAVERS

HRP 2x2 DIAGONALS BLACK & WHITE	12
HRP 2x2 DIAGONALS COTTO	12
HRP ARCH STONE MULTI	14
HRP ASH SAND	05
HRP BEIGE BROWN OCTASQUARE	08
HRP BEIGE HEXAGON WOOD	06
HRP BEIGE MULTI HEXAGON STONE	06
HRP BLACK HEXAGON	06
HRP BROWN DIAGONALS WOOD	12
HRP BROWN HEXAGON WOOD	06
HRP BROWN MODERN INLAY	08
HRP BROWN X FRAME	08
HRP CHARCOAL HEXAGON STONE	06
HRP CHARCOAL SAND	05
HRP CHOCO SAND	05
HRP COBBLE SPANISH MOSAIC	12
HRP COBBLE STONE MULTI	12
HRP COBBLE STONE NATURAL	12
HRP COBBLE STONE RAKED GREY	12
HRP COBBLE STONE SLATE	12
HRP COTTO HEXAGON STONE	06
HRP COTTO X FRAME	08
HRP CUBE MULTI	14
HRP GEOMETRIC STONE BEIGE	10
HRP GEOMETRIC STONE MULTI	10
HRP GLACIER GREY DK	05
HRP GLACIER GREY LT	05
HRP GRAVEL MULTI	14
HRP GREY BEIGE X FRAME	08
HRP GREY DIAGONALS WOOD	12
HRP GREY MODERN INLAY	08
HRP GREY MULTI HEXAGON STONE	06
HRP GREY OCTASQUARE	08
HRP GREY X FRAME	08
HRP GRUNGE BEIGE	05
HRP GRUNGE COTTO	05
HRP INTERLOCKING BEIGE	10
HRP INTERLOCKING MULTI	10
HRP MULTI OCTASQUARE	08
HRP OCTO BEIGE MULTI	11
HRP OCTO BLUE	11
HRP OCTO COTTO	11
HRP OCTO GREY	11
HRP PEANUT SAND	05

HRP PLANK MULTI	14
HRP PLANK WOOD WENGE	14
HRP ROCK NATURAL	14
HRP ROUGH STONE GRIS DK	05
HRP ROUGH STONE GRIS LT	05
HRP SHELL STONE GREY	14
HRP SHELL STONE MULTI	14
HRP SQUARES GEOMETRIC SLATE	14
HRP SQUARES INDUS SEAL	14
HRP STONE HEXAGON BROWN MULTI	06
HRP STONE SLATE DK	05
HRP TAUPE OCTASQUARE	08
HRP TRIANGLE STRIP BROWN	12
HRP WAVELOCK GRIGIO CREMA	14
HRP WAVELOCK MULTI	14
HRP WHITE HEXAGON	06

300x300mm | PARKING TILES

HEXA CARAMEL	19
HEXA EARTHY	19
HEXA HAZEL	19
HEXA NERO	19
HEXA SHADOW	19
HEXA SKY	19
HP NEBULA GREY	16
HP BASKET WEAVE GREY PLUS	20
HP BASKET WEAVE PATH BLUE	20
HP BASKET WEAVE SQUARE BEIGE	20
HP BUTTON IVORY	22
HP BUTTON TERRACOTTA	22
HP CAPSULE BROWN	17
HP CAPSULE GREY	17
HP CAPSULE IRON	17
HP CAPSULE IVORY	22
HP CAPSULE MULTI	17
HP CAPSULE TERRACOTTA	22
HP CEMENT SMOKY GREY	16
HP FAUX MOSAIC BLUE	24
HP FAUX MOSAIC BROWN	24
HP FAUX MOSAIC GREY	24
HP FAUX MOSAIC MULTI	24
HP HEXA COTTO	19
HP HEXA GREY	19

HP HULK BLUE	18
HP HULK COTTO	18
HP KASO BROWN	20
HP MAZE LINES BLACK	23
HP MAZE LINES WHITE	23
HP NEBULA BROWN	16
HP PETAL BLACK & WHITE	23
HP RIBBED BLUE	17
HP RIBBED GREY BROWN	17
HP SHELLSTONE BEIGE	16
HP SHELLSTONE CHARCOAL	16
HP WAVO AZURE BLUE	18
HP WAVO BEIGE	18
HP WAVO BLUE	18
HP WAVO BROWN	18
HP WAVO GREY	18
HP WAVO GREY MULTI	18
HULK GRIS	18
HULK MULTI	18
KASO COTTO	20
KASO GRIS	20
KASO MULTI	20
NEBULA CAFE	16
NEBULA GRIS	16
NEBULA MULTI	16
NEBULA SANDUNE	16
ODP STONEX BROWN	21
ODP STONEX MULTI	21
RIBBED BROWN	17
RIBBED COTTO	17
RIBBED GRIS	17
RIBBED MULTI	17
STRIP COTTO	21
SUBWAY ANTIQUE COPPER	20
SUBWAY BROWN	20
SUBWAY GRIS	20
SUBWAY SANDUN	20

300x300mm | RUGGED

HAP ANTI-SKID RUGGED BEIGE	25
HAP ANTI-SKID RUGGED CREAMA	25
HAP ANTI-SKID RUGGED GREY	25
HAP ANTI-SKID RUGGED SILVER	25

100%
TILES
0% CELEBS



Listed on BSE (530365) for 29+ years.
And also on NSE (ORIENTBELL).

400x400mm &
300x300mm

PAKING TILES



Description Code

HRP : Hoskote Rhino Paver

ODP : Orientbell Digital Paver

HP : Hoskote Paver



400x400mm
Matte Finish
Parking Tiles



HRP ASH SAND

G5
R1
F1



HRP CHARCOAL SAND

G5
F1
R1



HRP PEANUT SAND

G5
R1
F1



HRP CHOCO SAND

G5
F1
R1



HRP ROUGH STONE GRIS LT

G5
R1
F1




HRP ROUGH STONE GRIS DK

G5
F1
R1



HRP GRUNGE BEIGE

G5
F1
R1



HRP GRUNGE COTTO

G5
F1
R1



HRP GLACIER GREY LT

G5
F4
R3



HRP GLACIER GREY DK

G5
F1
R1




HRP STONE SLATE DK

G5
F1
R1



- 400x400mm
- Matte Finish
- Parking Tiles


Glitter Effect



G5
F1
R1

HRP WHITE HEXAGON

Glitter Effect



G5
F1
R1


HRP BLACK HEXAGON



G5
F1
R1

HRP STONE HEXAGON BROWN MULTI

Glitter Effect



G5
F1
R1

HRP CHARCOAL HEXAGON STONE


Glitter Effect



G5
F1
R1


HRP GREY MULTI HEXAGON STONE

Glitter Effect



G5
F1
R1


HRP BEIGE HEXAGON WOOD



G5
F1
R1

HRP BEIGE MULTI HEXAGON STONE


Glitter Effect



G5
F1
R1

HRP COTTO HEXAGON STONE

Glitter Effect



G5
F1
R1

HRP BROWN HEXAGON WOOD



Preview Shown: HRP BROWN HEXAGON WOOD



- 400x400mm
- Matte Finish
- Parking Tiles

Glitter Effect



G5
F1
R1

HRP GREY X FRAME

Glitter Effect



G5
F1
R1

HRP GREY BEIGE X FRAME

Glitter Effect



G5
F1
R1

HRP BROWN X FRAME

Glitter Effect



G5
F1
R1

HRP COTTO X FRAME



G5
F1
R1

HRP GREY OCTASQUARE



G5
F1
R1

HRP TAUPE OCTASQUARE



G5
F1
R1

HRP BEIGE BROWN OCTASQUARE



G5
F1
R1

HRP MULTI OCTASQUARE



G5
F1
R1

HRP GREY MODERN INLAY



G5
F1
R1


HRP BROWN MODERN INLAY



Preview Shown: HRP GREY X FRAME



- 400x400mm
- Matte Finish
- Parking Tiles



G5
F1
R1

HRP INTERLOCKING BEIGE



G5
F1
R1

HRP INTERLOCKING MULTI



G5
F1
R1

HRP GEOMETRIC STONE BEIGE



G5
F1
R1

HRP GEOMETRIC STONE MULTI



400x400mm


Matte Finish

Parking Tiles



G5
R1
F1

HRP OCTO GREY




G5
F1
R1

HRP OCTO BEIGE MULTI



G5
F1
R1

HRP OCTO COTTO



G5
F1
R1


HRP OCTO BLUE



Preview Shown: HRP OCTO BEIGE MULTI




- 400x400mm
- Matte Finish
- Parking Tiles



HRP COBBLE STONE RAKED GREY

G5
F1
R1



HRP COBBLE STONE SLATE

G5
F1
R1



HRP COBBLE SPANISH MOSAIC

G5
F1
R1



HRP COBBLE STONE MULTI

G5
F1
R1




HRP COBBLE STONE NATURAL

G5
F1
R1



HRP 2x2 DIAGONALS BLACK & WHITE

G5
F1
R1



HRP 2x2 DIAGONALS COTTO


G5
F1
R1



HRP TRIANGLE STRIP BROWN

G5
F1
R1


Glitter Effect



HRP GREY DIAGONALS WOOD

G5
F1
R1

Glitter Effect



HRP BROWN DIAGONALS WOOD

G5
F1
R1



Preview Shown: HRP BROWN DIAGONALS WOOD



- 400x400mm
- Matte Finish
- Parking Tiles



G5
F1
R1

HRP SHELL STONE GREY



G5
F1
R1

HRP SHELL STONE MULTI




G5
F1
R1

HRP ARCH STONE MULTI



G5
F1
R1

HRP CUBE MULTI



G5
F1
R1

HRP WAVELOCK MULTI




G5
F1
R1

HRP WAVELOCK GRIGIO CREMA



G5
F1
R1

HRP PLANK MULTI



G5
F1
R1

HRP PLANK WOOD WENGE



G5
F1
R1

HRP SQUARES GEOMETRIC SLATE



G5
F1
R1

HRP SQUARES INDUS SEAL



G5
F1
R1

HRP ROCK NATURAL

Glitter Effect



G5
F1
R1

HRP GRAVEL MULTI



Preview Shown: HRP GRAVEL MULTI

● PARKING TILES

● 300x300mm

● Matte Finish



HP CEMENT SMOKY GREY



HP NEBULA GREY



NEBULA GRIS




HP SHELLSTONE CHARCOAL



NEBULA MULTI



NEBULA SANDUNE



HP SHELLSTONE BEIGE



HP NEBULA BROWN



NEBULA CAFE




Preview Shown: HP SHELLSTONE CHARCOAL & HP SHELLSTONE BEIGE

PARKING TILES

300x300mm

Matte Finish



G5
F1
R1

HP CAPSULE GREY



G5
F1
R1

HP CAPSULE IRON



G5
F1
R1

HP CAPSULE BROWN



G5
F1
R1

HP CAPSULE MULTI



G5
F2
R2

RIBBED GRIS



G5
F2
R2

RIBBED BROWN

Glitter Effect



G5
F1
R1

HP RIBBED GREY BROWN



G5
F2
R2

RIBBED COTTO



G5
F2
R2

RIBBED MULTI

Glitter Effect



G5
F1
R1


HP RIBBED BLUE



Preview Shown: HP RIBBED GREY BROWN

— PARKING TILES

- 300x300mm
- Matte Finish



G5
F1
R1

HULK GRIS

Glitter Effect



G5
F1
R1

HP HULK COTTO



G5
F1
R1

HULK MULTI

Glitter Effect



G5
F1
R1


HP HULK BLUE

Glitter Effect



G5
F1
R1

HP WAVO GREY



G5
F1
R1

HP WAVO BEIGE

Glitter Effect




G5
F1
R1

HP WAVO BROWN



G5
F4
R4

HP WAVO GREY MULTI



G5
F1
R1

HP WAVO BLUE

Glitter Effect



G5
F1
R1

HP WAVO AZURE BLUE



Preview Shown: HP WAVO GREY

PARKING TILES

300x300mm


Matte Finish

Glitter Effect




G5
F1
R1

HP HEXA GREY




G5
F1
R1

HEXA SHADOW




G5
F1
R1

HEXA NERO




HEXA EARTHY



G5
F1
R1

HEXA HAZEL



G5
F1
R1


HEXA CARAMEL

Glitter Effect




G5
F1
R1

HP HEXA COTTO



G5
F1
R1

HEXA SKY




Preview Shown: HP HEXA COTTO

— **PARKING TILES**

— 300x300mm

— Matte Finish




G5
F1
R1

KASO GRIS



G5
F1
R1

KASO MULTI



G5
F1
R1

HP KASO BROWN



G5
F1
R1

KASO COTTO



G5
F2
R2

SUBWAY GRIS




G5
F2
R2

SUBWAY SANDUNE




G5
F2
R2

SUBWAY BROWN




G5
F2
R2

SUBWAY ANTIQUE COPPER




G5
F4
R4

HP BASKET WEAVE GREY PLUS



G5
F1
R1

HP BASKET WEAVE SQUARE BEIGE



G5
F1
R1

HP BASKET WEAVE PATH BLUE

PARKING TILES —

300x300mm —

Matte Finish —




G5
F1
R1

ODP STONEX BROWN



G5
F1
R1

ODP STONEX MULTI



G5
F1
R1

STRIP COTTO




Preview Shown: STRIP COTTO

● PARKING TILES


● 300x300mm

● Matte Finish





G5
F1
R1

HP BUTTON IVORY




G5
F1
R1

HP BUTTON TERRACOTTA



G5
F1
R1

HP CAPSULE IVORY




G5
F1
R1

HP CAPSULE TERRACOTTA


PARKING TILES —

300x300mm —


Matte Finish —



HP MAZE LINES WHITE



HP MAZE LINES BLACK



HP PETAL BLACK & WHITE



Preview Shown: HP PETAL BLACK & WHITE

— PARKING TILES

- 300x300mm
- Matte Finish


Glitter Effect



G5
F1
R1

HP FAUX MOSAIC GREY


Glitter Effect



G5
F1
R1

HP FAUX MOSAIC BROWN


Glitter Effect



G5
F1
R1


HP FAUX MOSAIC BLUE

Glitter Effect



G5
F1
R1

HP FAUX MOSAIC MULTI





RUGGED

300x300mm

Matte Finish

Paver Anti-Skid



G5
R3
F4

HAP ANTI-SKID
RUGGED SILVER



G5
R3
F4

HAP ANTI-SKID
RUGGED GREY



G5
R3
F4

HAP ANTI-SKID
RUGGED CREAMA



G5
R3
F4

HAP ANTI-SKID
RUGGED BEIGE

Preview Shown: HAP ANTI-SKID RUGGED SILVER, HAP ANTI-SKID RUGGED GREY

TECHNICAL SPECIFICATIONS

PARKING TILES

Packing Details

Size (In mm.)	No. of Tiles Per Carton	Covered Area Per Carton		No. of Box Per Layer	No. of Layer Per Pallet
		(In Sq. Mtr.)	(In Sq. Ft.)		
400x400	5	0.8	8.61	36	2

Characteristics	Standard as Per IS 15622:2017 Group B Ib	OBL Actual Value	Testing Methods
Dimension & Surface Quality			
Deviation in Length & Width	± 0.1 %	±0.1%	IS 13630 Part 1
Deviation in Thickness	± 5.0 %	±4.0%	
Straightness of Sides	± 0.1 %	±0.1%	
Rectangularity	± 0.1 %	±0.1%	
Surface Flatness	± 0.5 %	± 0.4 %	
Surface Quality	Min 95% of the tiles shall be free from visible defects that would impair the appearance of a major area of the tile	Conforms	
Physical Properties			
Water Absorption %	Average 3.0 < E ≤6.0%, individual 6.2% Max.	4.5% Max	IS 13630 Part 2
Modulus of Rupture in N/mm ²	Avg 22, Individual 20 Min	40.0 Max	IS 13630 Part 6
Breaking Strength N	600 Min for thickness < 7.5mm, 1000 Min for thickness ≥ 7.5 mm	Avg 2350	
Moisture Expansion	0.02 Max	0.02 Max	IS 13630 Part 3
Scratch Hardness (Moh's Scale)	5 Min	7 - 8 depends upon Design/surface	IS 13630 Part 13
Resistance to Surface Abrasion of glazed tiles Class I to V (Applicable for floor applications only)	Class II Min	Class IV to V	IS 13630 Part 11
Linear thermal expansion Co-efficient	7x10-6 max	Conforms	IS 13630 Part 4
Thermal Shock Resistance	10 Cycles, Min	Passed	IS 13630 Part 5
Crazing Resistance	4 Cycles at 7.5 Bar, Min	Passed	IS 13630 Part 9
Impact Resistance	0.55, Min	>0.55	IS 13630 Part 14
Coefficient of Friction	Manufacturer to declare value where required	R12	
Frost Resistance	Required if agreed to between manufacturer and purchaser	Conforms	IS 13630 Part 10
Bulk density g/cc	2.0, Min	>2.1	IS 13630 Part 2
Chemical Properties			
Stain Resistance Glazed tiles	Class I, Min	Class -1	IS 13630 Part 8
Resistance to household chemicals	Class AA, Min	Class AA	
Resistance to acids and alkalis	Class AA, Min	Class AA	

TECHNICAL SPECIFICATIONS

PARKING TILES

Packing Details

Size (In mm.)	No. of Tiles Per Carton	Covered Area Per Carton		No. of Box Per Layer	No. of Layer Per Pallet
		(In Sq. Mtr.)	(In Sq. Ft.)		
300x300	10	0.9	9.68	30	2

As per ISO 13006:2012 (Group B Ia) and as IS 15627:2017 (Group B Ib)

Characteristics	Testing Methods	Required as per IS 15622:2017 0.08 < E ≤ 3 % (Group B Ib)		OBL Values
		Unrectified	Rectified	
Dimension & Surface Quality				
Deviation in Length & Width	IS 13630 (Part 1):2006	± 0.4 %	± 0.1 %	± 0.10 %
Deviation in Thickness		± 5.0 %		± 4.0 %
Straightness of Sides		± 0.3 %	± 0.1 %	± 0.10 %
Rectangularity		± 0.3 %	± 0.1 %	± 0.10 % ☺☺
Surface Flatness		± 0.5 %		± 0.2 % ☺☺
Surface Quality		Min. 95 % tiles should be free from visible defects		Conforms ☺☺
Physical Properties				
Water Absorption	IS 13630 (Part 2):2006	Avg 0.08 < E ≤ 3, Individual 3.3, Max		Av < 3%
Modulus of Rupture in [N/mm ²]	IS 13630 (Part 6):2006	Avg 30, Individual 27, Min		> 35 ☺☺
Breaking Strength in N	IS 13630 (Part 6):2006	< 7.5 mm thickness: 700, Min ≥ 7.5 mm thickness: 1100, Min		1500 Min ☺☺
Moisture Expansion in mm/m	IS 13630 (Part 3):2006	0.02, Max		Conforms
Scratch Hardness of Surface (Mohs)	IS 13630 (Part 13):2006	5, Min		5-8 depends on surface ☺☺
Resistance to Surface Abrasion of glazed tiles (Class I to V)	IS 13630 (Part 11):2006	Class II, Min		3-5 as per design/surface ☺☺
Co-efficient of Linear Thermal Expansion from ambient temperature to 100°C	IS 13630 (Part 4):2006	7x10 ⁻⁶ K ⁻¹ , Max		Conforms
Thermal Shock Resistance	IS 13630 (Part 5):2006	10 cycles, Min		Passed
Crazing Resistance	IS 13630 (Part 9):2006	4 Cycles@7.5 bar, Min		Passed
Frost Resistance	IS 13630 (Part 10):2006	Required		Resistance
Impact resistance- Coefficient of restitution	IS 13630 (Part 14):2006	0.55, Min		Conforms
Chemical Properties				
Stain Resistance	IS 13630 (Part 8):2006	Class I, Min		Min. Class-1
Resistance to household chemicals		Class AA, Min		Min. Class-AA
Resistance to acids and alkalis (with exception of hydrofluoric acid and its compounds)		Required, if agreed		Required, if agreed

NOTE: Certain amount of Size and Shade variation is inherent in all ceramic products. Within the limits of printed material, the colors and aesthetics of the products correspond closely to those of illustrated products. Prospective customers are advised to inspect a sample of the tile before ordering and laying. At all points of time, the company liability is restricted to the purchase value of tiles. Every effort has been made to ensure the accuracy of the information given. However, the company reserves the right to delete & change, any of the items, colors, sizes & technical specifications without any prior notice.

TECHNICAL SPECIFICATIONS RUGGED PAVER ANTI-SKID

Packing Details

Size (In mm.)	No. of Tiles Per Carton	Covered Area Per Carton		No. of Box Per Layer	No. of Layer Per Pallet
		(In Sq. Mtr.)	(In Sq. Ft.)		
300x300	10	0.9	9.68	30	2

As per ISO 13006:2012 (Group B Ia) and as IS 15627:2017 (Group B Ib)

Characteristics	Testing Methods	Requirement as Per IS 15622:2017 3 < E ≤ 6%(Group B II a)	OBL Norms
Dimensions and Surface Quality:			
Deviation in Size (length & Width)	IS 13630 Part 1	Rectified	± 0.1 %
Deviation in thickness		± 5.0 %	± 5.0 %
Straightness of sides		± 0.1 %	0.1%
Rectangularity		± 0.1 %	± 0.1 %
Surface Flatness (centre,edge,warpage)		± 0.5 %	± 0.3 %
Surface Quality		Min 95% of the tiles shall be free from visible defects that would impair the appearance of a major area of the tile	Conforms
Physical Properties:			
Water absorption %	IS 13630 Part 2	3 > E < 6 %.	Conforms
Modulus of rupture N/mm ²	IS 13630 Part 6	22 Minimum	Average 32
Breaking Strength (N)		1000 Minimum	Average 1100
Moisture Expansion (mm/m)		IS 13630 Part 3	0.04 Max
Scratch hardness (Moh's Scale)	IS 13630 Part 13	4 Min	7 to 8
Resistance to surface abrasion of glazed tiles Class I to V (Applicable for floor applications only)	IS 13630 Part 11	Class II Min	Class IV
Linear thermal expansion Co-efficient	IS 13630 Part 4	9x10-6 max	Conforms
Thermal Shock Resistance	IS 13630 Part 5	10 Cycle Min	Passed
Crazing Resistance	IS 13630 Part 9	4 Cycles at 7.5 Bar, Min	Passed
Chemical Properties:			
Resistance to staining of glazed tiles	IS 13630 Part 8	Min Class 1	Min class 1
Resistance to household chemicals		Class AA,Min	Min class AA
Resistance to acid and alkalis (Except HF)		Required if Agreed	Resistant

NOTE: Certain amount of Size and Shade variation is inherent in all ceramic products. Within the limits of printed material, the colors and aesthetics of the products correspond closely to those of illustrated products. Prospective customers are advised to inspect a sample of the tile before ordering and laying. At all points of time, the company liability is restricted to the purchase value of tiles.

Every effort has been made to ensure the accuracy of the information given. However, the company reserves the right to delete & change, any of the items, colors, sizes & technical specifications without any prior notice.



Making Tile Selection Easier



Find tiles similar to a reference image



Tiles selected by you in your room



Visualise selected tiles & get a quote



Share layout for a personalised render*

www.orientbell.com

CORPORATE OFFICE:

Iris House, 16 Business Centre,
Nangal Raya, New Delhi-110046, India
Tel: +91-11-47119100, Fax: +91 -11-2852 1273

CIN: L14101UP1977PLC021546

REGISTERED OFFICE:

8 Industrial Area, Sikandrabad-203 205 (UP), India
Tel: +91-5735-222-203 / 24, +91-8191004575/ 76
Fax: +91 -5735 222 642

CUSTOMER CARE:

customercare@orientbell.com
Call : 87507 11111
Whatsapp : 87507 33333

Please join us on social media

